

**2023 Consumer Confidence Report**  
**For**  
**Pepperell DPW – Water Division**  
Pepperell, Massachusetts  
MASSDEP PWSID # 2232000

This report is a snapshot of the drinking water quality that we provided last year. Included are details about where your water comes from, what it contains, and how it compares to state and federal standards. We are committed to providing you with this information because informed customers are our best allies.

**PUBLIC WATER SYSTEM INFORMATION**

Address: 47 Nashua Road, Pepperell, MA 01463

Contact Person: Paul Brinkman, Business Manager

Telephone #: 978-433-9859

Email: [pbrinkman@town.pepperell.ma.us](mailto:pbrinkman@town.pepperell.ma.us)

Internet Address: <http://town.pepperell.ma.us/247/Water-Division>

**Introduction:**

The Pepperell Water Division is pleased to present our Annual Report on the quality of the water that was delivered to you in 2023. This report meets the Federal Safe Drinking Water Act (SDWA) requirement for “Consumer Confidence Reports” and contains information on the source of our water, its constituents, and the health risks associated with any contaminants.

In 2023, the Pepperell Water Division supplied 241 million gallons of water to our customers through approximately 3,316 service connections. We tested over 400 samples for 60 contaminants. Additionally, total coliform bacteria samples were taken monthly at 17 locations.

**Water System Improvements**

Our water system is routinely inspected by the Massachusetts Department of Environmental Protection (MassDEP). MassDEP inspects our system for its technical, financial, and managerial capacity to provide safe drinking water to you. To ensure that we provide the highest quality of water available, your water system is operated by Massachusetts certified operators who oversee the routine operations of our system. As part of our ongoing commitment to you, in 2023 we made the following improvements to our system: Optimization of the newly installed Bemis Road Iron and Manganese Filtration Plant; completed the GIS data collection program; continued systematic leak detection.

**Opportunities for Public Participation**

If you would like to participate in discussions regarding your water quality, you may attend any of the DPW Board of Public Works meetings which are usually held the third Thursday of each month. Actual meeting days and time are posted on the town website at <http://town.pepperell.ma.us> You may also contact the Water Division with any questions you may have at 978-433-0359 or by email at [water@town.pepperell.ma.us](mailto:water@town.pepperell.ma.us)

**YOUR DRINKING WATER SOURCE**

**Where Does My Drinking Water Come From?**

Your water sources consist of five gravel packed wells at an average depth of sixty (60) feet. The wells are all owned and operated by the town are separated from each other at the following locations; the

Bemis Road wells (2) are located at the end of Bemis Road, The Jersey Street wells (2) are located off Jersey Street, and the Nashua Road well (1) is located on Emerson Circle. Please note: The Nashua Road well has been offline since June 2021 due to elevated levels of Perfluorinated Alkyl Substances (PFAS).

Your water is provided by the following sources listed below:

Source Name	MassDEP Source ID#	Source Type	Location of Source
Bemis Road Well #1	2232000-01G	Groundwater	End of Bemis Road
Bemis Road Well #2	2232000-04G	Groundwater	End of Bemis Road
Jersey Street Well #1	2232000-02G	Groundwater	Off Jersey Street
Jersey Street Well # 2	2232000-03G	Groundwater	Off Jersey Street
Nashua Road Well #1	2232000-05G	Ground Water	Off Emerson Circle

### Is My Water Treated?

The water system staff makes every effort to provide you with safe and clean drinking water. To improve the quality of the water delivered to you, we treat it to remove several contaminants. The water pumped from the two Bemis Road Wells is first treated by the addition of Sodium Permanganate for the oxidation of iron and manganese, follow by the addition of Potassium Hydroxide for the adjustment of pH. The water is filtered through three manganese greensand filters. Bemis Road finished water is then treated with sodium hypochlorite for disinfection. The water pumped from the Nashua Road Well (*only during emergency conditions; users would be notified in the event this water source was restarted*) and the two Jersey Street Wells is directed through a staggered tray aeration tower to reduce carbon dioxide levels which aids in corrosion control, then potassium hydroxide is added to further adjust pH. The finished water is then treated with sodium hypochlorite for disinfection. Combined, these wells are limited by MassDEP to pump no more than 1.3 million gallons per day on an annual average basis. Finished water pumped into the distribution system is stored in the three water storage tanks. Pepperell Water has a total storage capacity of 3 million gallons. Two booster pump stations provide water to the high pressure zone of the Town's water distribution system. The Townsend Street storage tank maintains the pressure we need to supply water to the town's higher elevations, and also provides storage for fire protection.

- We add sodium hypochlorite to protect you against microbial contaminants.
- We chemically treat the water with potassium hydroxide to increase pH.
- We add Sodium Permanganate (Bemis facility only) for the oxidation of dissolved iron and manganese.
- We aerate the water to remove carbon dioxide and increase pH.

The water quality of our system is constantly monitored by us and the MassDEP to determine the effectiveness of existing water treatment and to determine if any additional treatment is required. Prior water quality test results show that the water needs to be treated to continue to meet these goals.

### How Are These Sources Protected?

MassDEP has prepared a Source Water Assessment and Protection (SWAP) Report for the sources serving this water system. The SWAP Report assesses the susceptibility of public water supplies.

Our SWAP Report notes the key issue of developing a wellhead protection plan. The Town of Pepperell has completed its Wellhead Protection Strategy Report. This report addresses strategies for protection to

our water supplies. We have installed security fencing at all our facilities and have implemented other security measures. We routinely monitor water supply areas for illegal dumping and trespassing.

### **What is My System's Ranking?**

A susceptibility ranking of **moderate** was assigned to this system using the information collected during the assessment by MassDEP.

### **Where Can I See The SWAP Report?**

The complete SWAP report is available at the Water Division Office on Chestnut Street or the Town Engineer's Office located at the Town Hall. Contact either the Water Department at (978) 433-0359 or Paul Brinkman at (978) 433-9859 to make arrangements to view the report. The complete SWAP report is also available online at [www.mass.gov/doc/central-region-source-water-assessment-protection-swap-program-reports-0/download](http://www.mass.gov/doc/central-region-source-water-assessment-protection-swap-program-reports-0/download).

### **What Are the Key Issues For Our Water Supply?**

In the Pepperell water supply protection area, the SWAP Report notes the key issues:

- 1) Inappropriate activities in Zone I
- 2) Residential land uses
- 3) Transportation Corridor
- 4) Agricultural activities
- 5) Comprehensive wellhead protection planning

The report commends our water system on:

- Working with Town departments to review proposed development in the Zone II areas.

### **What Can Be Done To Improve Protection?**

The SWAP report recommends:

- Continuing to inspect the Zone I regularly, and when feasible, remove any non-water supply activities.
- Educate residents on ways they can help you to protect drinking water sources.
- Work with emergency response teams to ensure that they are aware of the storm water drainage in your Zone II and to cooperate on responding to spills or accidents.
- Work with horse owners in your protection areas to make them aware of your water supply and to encourage the use of a National Resource Conservation Service farm plan to protect water supplies.
- Develop and implement a Wellhead Protection Plan.

Residents can help protect sources by:

- Practicing good septic system maintenance.
- Supporting water supply protection initiatives by the Board of Public Works and at town meeting.
- Taking hazardous household chemicals to hazardous materials collection days.
- Contacting the water department or Board of Health to volunteer for monitoring or education outreach to schools.
- Limiting pesticide and fertilizer use, etc.

## **SUBSTANCES FOUND IN TAP WATER**

Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it

dissolves naturally-occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

**Microbial contaminants** -such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

**Inorganic contaminants** -such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, and farming.

**Pesticides and herbicides** -which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

**Organic chemical contaminants** -including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

**Radioactive contaminants** -which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the Department of Environmental Protection (MassDEP) and U.S. Environmental Protection Agency (EPA) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants in bottled water that must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and some infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on lowering the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Pepperell DPW – Water Division is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

## IMPORTANT DEFINITIONS

**Maximum Contaminant Level (MCL)** – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Action Level (AL)** – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**90<sup>th</sup> Percentile** – Out of every 10 homes sampled, 9 were at or below this level.

**Secondary Maximum Contaminant Level (SMCL)** – These standards are developed to protect the aesthetic qualities of drinking water and are not health based.

### **Unregulated Contaminants**

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated monitoring is to assist EPA in determining their occurrence in drinking water and whether future regulation is warranted.

**Massachusetts Office of Research and Standards Guideline (ORSG)** – This is the concentration of a chemical in drinking water, at or below which, adverse health effects are unlikely to occur after chronic (lifetime) exposure. If exceeded, it serves as an indicator of the potential need for further action.

**Treatment Technique (TT)** – A required process intended to reduce the level of a contaminant in drinking water.

**Running Annual Average (RAA)** – The average of four consecutive quarter of data.

**Maximum Residual Disinfectant Level (MRDL)** -- The highest level of a disinfectant (chlorine, chloramines, chlorine dioxide) allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG)** -- The level of a drinking water disinfectant (chlorine, chloramines, chlorine dioxide) below which there is no known expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

ppm = parts per million, or milligrams per liter (mg/l)  
ppb = parts per billion, or micrograms per liter (ug/l)  
ppt = parts per trillion, or nanograms per liter  
pCi/l = picocuries per liter (a measure of radioactivity)  
NTU = Nephelometric Turbidity Units  
ND = Not Detected  
N/A = Not Applicable  
mrem/year = millirem per year (a measure of radiation absorbed by the body)

## WATER QUALITY TESTING RESULTS

### What Does This Data Represent?

The water quality information presented in the table is from the most recent round of testing done in accordance with the regulations. All data shown was collected during the last calendar year unless otherwise noted in the table.

Lead and Copper							
Regulated Contaminant	Date(s) Collected	90 <sup>TH</sup> percentile	Action Level	MCLG	# of sites sampled	# of sites above Action Level	Possible Source of Contamination
Lead (ppm)	9/13/2023-9/19/2023	0.0016	0.015	0.015	41	0	Corrosion of household plumbing systems; Erosion of natural deposits
Copper (ppm)	9/13/2023-9/19/2023	0.536	1.3	1.3	41	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives

Inorganic Compounds							
Regulated Contaminant	Date(s) Collected	Highest Result or Highest Running Average Detected	Range Detected	MCL or MRDL	MCLG or MRDLG	Violation (Y/N)	Possible Source(s) of Contamination
Antimony (ppb)	04/04/2023	< 1.0	0.0017	6	6	N	Discharge from fire retardants; ceramics; electronics; solder
Arsenic (ppb)	04/04/2023	1.0 Average	1-2	10	N/A	N	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
Barium (ppm)	4/04/2023	0.010 Average	0.010	2	2	N	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Nitrate (ppm)	4/04/2023	0.76 Average	0.06-1.46	10	10	N	Runoff from fertilizer use; leaching from septic tanks; sewage; erosion of natural deposits
Perchlorate (ppb)	7/11/2023, 7/20/2023	< 1.0 Average	< 1.0	2	N/A	N	Rocket propellants, fireworks, munitions, flares, blasting agents

Radioactive Contaminants							
Regulated Contaminant	Date(s) Collected	Highest Result or Highest Running Average Detected	Range Detected	MCL or MRDL	MCLG or MRDLG	Violation (Y/N)	Possible Source(s) of Contamination
Gross Alpha (pCi/l) (minus uranium)	5/10/2022	0.6	0.6	15	0	N	Erosion of natural deposits
▲ The MCL for beta particles is 4 mrem/year. EPA considers 50 pCi/L to be the level of concern for beta particles.							
Radium 226 & 228 (pCi/L) (combined values)	5/20/2022	0.5	0.5	5	0	N	Erosion of natural deposits

Disinfectants and Disinfection By-Products							
Regulated Contaminant	Date(s) Collected	Highest Result or Highest Running Average Detected	Range Detected	MCL	MCLG or MRDLG	Violation (Y/N)	Possible Source(s) of Contamination
Total Trihalomethanes (TTHMs) (ppb)	8/11/2023	32	32	80	N/A	N	Byproduct of drinking water chlorination
Haloacetic Acids (HAA5) (ppb)	8/11/2023	6.7	6.7	60	N/A	N	Byproduct of drinking water disinfection
Chlorine (ppm) (free, total or combined)	Monthly in 2023	1.03	0.22-0.62	4	4	N	Water additive used to control microbes

PFAS6								
Regulated Contaminant	Date(s) Collected	Location	Detect Result (ppt)	Range Detected	MCL (ppt)	Violation	Violation (Y/N) Possible Source(s) of Contamination	Health Effects
PFAS 6 (ppt)	Monthly	Jersey Street	12.54 Avg	8.38-15.4	20	N	Discharges and emissions from industrial and manufacturing sources associated with the production or use of these PFAS, including production of moisture and oil resistant coatings on fabrics and other materials. Additional sources include the use and disposal of products containing these PFAS, such as fire-fighting foams.	Some people who drink water containing these PFAS in excess of the MCL may experience certain adverse effects. These could include effects on the liver, blood, immune system, thyroid, and fetal development. These PFAS may also elevate the risk of certain cancers.
PFAS 6 (ppt)	Yearly	Bemis Road	0	0	20	N		
PFAS 6 (ppt)	N/A	Nashua Road*	N/A	N/A	20	N/A		

\*Nashua Road Well offline due to elevated PFAS

#### Unregulated and Secondary Contaminants

Unregulated contaminants are those for which there are no established drinking water standards. The purpose of unregulated contaminant monitoring is to assist regulatory agencies in determining their occurrence in drinking water and whether future regulation is warranted.

Unregulated Contaminants	Date(s) Collected	Result or Range Detected	Average Detected	SMCL	ORSG	Possible Source
Bromodichloromethane (ppb)	4/04/2023 8/11/2023	0 – 8.6	3.3	N/A	N/A	Trihalomethane; by-product of drinking water chlorination
Bromoform (ppb)	4/04/2023 8/11/2023	0-0.8	0.3	N/A	N/A	Trihalomethane; by-product of drinking water chlorination
Chloroform (ppb)	4/04/2023 8/11/2023	0-18	7	N/A	70	Trihalomethane; by-product of drinking water chlorination
Dibromochloromethane (ppb)	4/04/2023 8/11/2023	4.2	4.2	N/A	N/A	Trihalomethane; by-product of drinking water chlorination
Nickel (ppb)	4/04/2023	1	1	N/A	100	Discharge from industrial processes
Sodium (ppm)	4/04/2023	21.6	N/A	N/A	20	Discharge from the use and improper storage of sodium-containing de-icing compounds or in water-softening agents

Unregulated Contaminants	Date(s) Collected	Result or Range Detected	Average Detected	SMCL	ORSG	Possible Source
Sulfate (ppm)	5/2/2023	8.9 – 10	9.45	250	N/A	Natural sources
Perfluorobutane Sulfonic acid (ppt)	Monthly and Quarterly 2023	0-2.67	1.57	N/A	N/A	Manmade chemical; used in products to make them stain, grease, heat and water resistant
Perfluorooctanoic acid (PFOA) (ppt)	9/19/2023	0-8.45	5.78	N/A	20	Used for its emulsifier and surfactant properties in or as fluoropolymers (such as Teflon), fire-fighting foams, cleaners, cosmetics, greases and lubricants, paints, polishes, adhesives, and photographic films
Perfluorooctanesulfonic acid (PFOS) (ppt)	Monthly 2023	0-6.19	4.26	N/A	20	Surfactant or emulsifier; used in fire-fighting foam, circuit board etching acids, alkaline cleaners, floor polish, and as a pesticide active ingredient for insect bait traps; U.S. manufacture of PFOS phased out in 2002; however, PFOS still generated incidentally.

Secondary Contaminants	Date(s) Collected	Result or Range Detected	Average Detected	SMCL	ORSG	Possible Source
Copper (ppm)	9/12/2023-9/19/2023	0.080-0.698	0.305	1	N/A	Naturally occurring organic material
Iron (ppb)	Quarterly	0 - 725	166	300	N/A	Naturally occurring, corrosion of cast iron pipes
Manganese* (ppb)	Quarterly	0 - 334	82.6	50	Health Advisory of 300	Natural sources as well as discharges from industrial uses
* EPA has established a lifetime Health Advisory (HA) for manganese of 0.3 mg/L and an acute HA at 1.0 mg/L (Add health language listed below if detect is over 300 ppb )						

*Manganese is a naturally occurring mineral found in rocks, soil, groundwater, and surface water. Manganese is necessary for proper nutrition and is part of a healthy diet, but can have undesirable effects on certain sensitive populations at elevated concentrations. The United States Environmental Protection Agency (EPA) and MassDEP have set an aesthetics-based Secondary Maximum Contaminant Level (SMCL) for manganese of 50 ug/L (microgram per liter), or 50 parts per billion. In addition, MassDEP's Office of Research and Standards (ORS) has set a drinking water guideline for manganese (ORSG), which closely follows the EPA public health advisory for manganese. Drinking water may naturally have manganese and, when concentrations are greater than 50 ug/L, the water maybe discolored and taste bad. Over a lifetime, the EPA recommends that people limit their consumption of water with levels over 1000 ug/L, primarily due to concerns about the possible neurological effects. Children up to one year of age should not be given water with manganese concentrations over 300 ug/L, nor should formula for infants be made with that water for longer than 10 days. The ORSG differs from the EPA's health advisory because it expands the age group to which a lower manganese concentration applies from children less than six months of age to children up to one year of age to address concerns about children's susceptibility to manganese toxicity. See EPA Drinking Water Health Advisory for manganese at: [https://www.epa.gov/sites/production/files/2014-09/documents/support\\_cc1\\_magnese\\_dwreport\\_0.pdf](https://www.epa.gov/sites/production/files/2014-09/documents/support_cc1_magnese_dwreport_0.pdf) and MassDEP Office of Research and Standards (ORSG) for manganese <http://www.mass.gov/eea/agencies/massdep/water/drinking/lead-and-other-contaminants-in-drinking-water.html#11>*

### Availability of Monitoring Data for Unregulated Contaminants

As required by US Environmental Protection Agency (EPA), our water system has sampled for a series of unregulated contaminants. Unregulated contaminants are those that don't yet have a drinking water standard set by EPA. The purpose of monitoring for these contaminants is to help EPA decide whether the contaminants should have a public health protection standard.



### **What should I do?**

You do not have to do anything but as our customers you have a right to know that these data are available.

You may share this information with other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, food establishments, medical facilities and businesses).

### **For more information**

For information on the Unregulated Contaminant Monitoring Program, visit the MassDEP website (<http://www.mass.gov/eea/agencies/massdep/water/drinking/water-systems-ops.html>) and navigate to Unregulated Contaminant Monitoring Program.

If you want to speak with someone at the water department about the results, please contact Valerie Brock at 978-925-4425 or [VBrock@town.pepperell.ma.us](mailto:VBrock@town.pepperell.ma.us).

## **COMPLIANCE DRINKING WATER REGULATIONS**

### **Does My Drinking Water Meet Current Health Standards?**

The Pepperell Water Division is committed to providing you with the best water quality available. We are proud to report that last year your drinking water met all applicable health standards regulated by the state and federal government.

### **Health Effects Statements**

Manganese is a naturally occurring mineral found in rocks, soil, groundwater, and surface water. Manganese is necessary for proper nutrition and is part of a healthy diet, but can have undesirable effects on certain sensitive populations at elevated concentrations. The United States Environmental Protection Agency (EPA) and MassDEP have set an aesthetics-based Secondary Maximum Contaminant Level (SMCL) for manganese of 50 ug/L (microgram per liter), or 50 parts per billion. In addition, MassDEP's Office of Research and Standards (ORS) has set a drinking water guideline for manganese (ORSG), which closely follows the EPA public health advisory for manganese.

**Drinking water may naturally have manganese and, when concentrations are greater than 50 ug/L, the water maybe discolored and taste bad. Over a lifetime, the EPA recommends that people limit their consumption of water with levels over 1000 ug/L, primarily due to concerns about the possible neurological effects. Children up to one year of age should not be given water with manganese concentrations over 300 ug/L, nor should formula for infants be made with that water for longer than 10 days.**

The ORSG differs from the EPA's health advisory because it expands the age group to which a lower manganese concentration applies from children less than six months of age to children up to one year of age to address concerns about children's susceptibility to manganese toxicity.

See EPA Drinking Water Health Advisory for manganese at:

[https://www.epa.gov/sites/production/files/2014-09/documents/support\\_cc1\\_magnese\\_dwreport\\_0.pdf](https://www.epa.gov/sites/production/files/2014-09/documents/support_cc1_magnese_dwreport_0.pdf) and MassDEP Office of Research and Standards (ORSG) for manganese

## Drinking Water Violations

The Pepperell Water Division takes samples of the water quality on a daily basis. In June of 2023, a sample for PFAS was not taken according to MassDEP's sample schedule. We received a Notice of Noncompliance for missing the prescribed sample. The sample was subsequently taken in July. As a result, the levels of PFAS from the Jersey Wells was not known in June. The level in July was 14.0 parts per trillion and 14.5 parts per trillion in August.

## EDUCATIONAL INFORMATION

### Do I Need To Be Concerned about Certain Contaminants Detected in My Water?

**Manganese-** is a naturally occurring mineral found in rocks, soil and groundwater, and surface water. Manganese is necessary for proper nutrition and is part of a healthy diet, but can have undesirable effects on certain sensitive populations at elevated concentrations. The United States Environmental Protection Agency (EPA) and MassDEP have set an aesthetics-based Secondary Maximum Contaminant Level (SMCL) for manganese of 50 ug/L (micrograms per liter), or 50 parts per billion, and health advisory levels. In addition, EPA and MassDEP have also established public health advisory levels. **Drinking water may naturally have manganese and, when concentrations are greater than 50 µg/L, the water may be discolored and taste bad. Over a lifetime, EPA recommends that people drink water with manganese levels less than 300 µg/L and over the short term, EPA recommends that people limit their consumption of water with levels over 1000 ug/L, primarily due to concerns about possible neurological effects. Children up to 1 year of age should not be given water with manganese concentrations over 300 ug/L, nor should formula for infants be made with that water for longer than 10 days.** See:

[http://www.epa.gov/safewater/ccl/pdfs/reg\\_determine1/support\\_cc1\\_magnese\\_dwreport.pdf](http://www.epa.gov/safewater/ccl/pdfs/reg_determine1/support_cc1_magnese_dwreport.pdf).

**Sodium-** Sensitive individuals, such as those experiencing hypertension, kidney failure, or congestive heart failure, should be aware of the sodium levels where exposures are being carefully controlled.

**Perchlorate-** Perchlorate may cause adverse effects on the thyroid gland. Sensitive individuals, such as women who are pregnant or nursing, infants, children under 12, or those with hypothyroidism should be aware of perchlorate levels in water and food sources that could contain perchlorate. If you have concerns about exposure to perchlorate please consult your physician.

**Lead-** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The GWD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at <http://www.epa.gov/safewater/lead>.

**Copper-** Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time could experience gastrointestinal distress. People with Wilson's Disease should consult their personal doctor. Flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline at 800-426-4791.

## Cross-Connection Control and Backflow Prevention


The Pepperell Water Division makes every effort to ensure that the water delivered to your home and business is clean, safe and free of contamination. Our staff works very hard to protect the quality of the water delivered to our customers from the time the water is extracted via deep wells from underground aquifers or withdrawal point from a surface water source, throughout the entire treatment and distribution system. But what happens when the water reaches your home or business? Is there still a need to protect the water quality from contamination caused by a cross-connection? If so, how?

### What is a cross-connection?

A cross-connection occurs whenever the drinking water supply is or could be in contact with potential sources of pollution or contamination. Cross-connections exist in piping arrangements or equipment that allows the drinking water to come in contact with non-potable liquids, solids, or gases (hazardous to humans) in event of a backflow.

### What is a backflow?

Backflow is the undesired reverse of the water flow in the drinking water distribution lines. This backward flow of water can occur when the pressure created by equipment or a system such as a boiler or air-conditioning is higher than the water pressure inside the water distribution line (back pressure), or when the pressure in the distribution line drops due to routine occurrences such as water main breaks or heavy water demand causing the water to flow backward inside the water distribution system (back siphonage). Backflow is a problem that many water consumers are unaware of, a problem that each and every water customer has a responsibility to help prevent.



### What can I do to help prevent a cross-connection?


Without the proper protection something as simple as a garden hose has the potential to contaminate or pollute the drinking water lines in your house. In fact over half of the country's cross-connection incidents involve unprotected garden hoses. There are very simple steps that you as a drinking water user can take to prevent such hazards, they are:

- NEVER submerge a hose in soapy water buckets, pet watering containers, pool, tubs, sinks, drains, or chemicals.
- NEVER attached a hose to a garden sprayer without the proper backflow preventer.
- Buy and install a hose bibb vacuum breaker in any threaded water fixture. The installation can be as easy as attaching a garden hose to a spigot. This inexpensive device is available at most hardware stores and home-improvement centers.
- Identify and be aware of potential cross-connections to your water line.
- Buy appliances and equipment with backflow preventers.
- Buy and install backflow prevention devices or assemblies for all high and moderate hazard connections.

If you are the owner or manager of a property that is being used as a commercial, industrial, or institutional facility you must have your property's plumbing system surveyed for cross-connection by

your water purveyor. If your property has NOT been surveyed for cross-connection, contact your water department to schedule a cross-connection survey.

### **What is a Cross Connection and what can I do about it?**



A cross connection is a connection between a drinking water pipe and a polluted source. The pollution can come from your own home. For instance, you're going to spray fertilizer on your lawn. You hook up your hose to the sprayer that contains the fertilizer. If the water pressure drops at the same time you turn on the hose, the fertilizer may be sucked back into the drinking water pipes through the hose. This problem can be prevented by using an attachment on your hose called a backflow-prevention device.

The Pepperell Water Division recommends the installation of backflow prevention devices, such as a low cost hose bib vacuum breaker, for all inside and outside hose connections. You can purchase this at a hardware store or plumbing supply store. This is a great way for you to help protect the water in your home as well as the drinking water system in your town! For additional information on cross connections and on the status of your water systems cross connection program, please contact Pepperell Water Department at 978-433-0359.

#### **ADDITIONAL INFORMATION**

##### **Corrosion Control Through pH Adjustment**

Many drinking water sources in New England are naturally corrosive (i.e. they have a pH of less than 7.0). So, the water they supply has a tendency to corrode and dissolve the metal piping it flows through. This not only damages pipes but can also add harmful metals, such as lead and copper, to the water. For this reason it is beneficial to add chemicals that make the water neutral or slightly alkaline. This is done by adding any one, or a combination of several, approved chemicals. The Pepperell Water Division adds potassium hydroxide to its water. This adjusts the water to a non-corrosive pH. Testing throughout the water system has shown that this treatment has been effective at reducing lead and copper concentrations.

All chemicals used for coagulation are approved for water treatment by one of the following organizations: National Sanitation Foundation (now known as NSF International) or UL, both accredited by the American National Standards Institute (ANSI). Chemicals must also meet performance standards established by the American Water Works Association.

##### **Primary Disinfection with Sodium Hypochlorite (without filtration)**

All reservoirs and some ground water sources contain numerous microorganisms some of which can cause people to be sick. To eliminate disease carrying organisms it is necessary to disinfect the water.

Disinfection does not sterilize the water, but it does destroy harmful organisms. Sterilization kills all microorganisms, even though most are not harmful, and is too costly to use on a routine basis. The Pepperell Water Division uses sodium hypochlorite as its primary disinfectant. Sodium hypochlorite destroys organisms by penetrating cell walls and reacting with enzymes. Disinfection with sodium hypochlorite has been proven effective at ensuring that water is free of harmful organisms and safe to drink.

### **Water Conservation Regulation**

In order to assure adequate supply of water for domestic and fire protection purposes, the Pepperell Water Division has adopted the following regulation: Effective May 1<sup>st</sup> through October 31<sup>st</sup> of every year, outdoor watering of any kind is restricted to even numbered days of the month with an even address and odd numbered days for homes with an odd number address. Should conditions require, this conservation measure may change depending on the State Drought Advisory status and other local conditions. Violations will be subject to a fine. This essential outside water conservation program should be effective enough so as to make a full-mandatory ban unnecessary except under extreme circumstances. All water customers are strongly encouraged to comply with the program to help avoid more extreme measures of water conservation.

### **Conclusion**

The Pepperell Water Division is committed to providing consumers with water that meets or surpasses standards established by the state and EPA. We also want our customers to be informed of changes in water quality when they occur. If you have any questions, comments or complaints, please call the Pepperell Water Division at **(978) 433-0359**.